



digital  
vision  
group

# **TRIP Connectivity Framework v1.7-2:3 Change History**

**2026-05-05**

Copyright (c) 2026 DVG Operations GmbH

Published By:  
DVG Operations GmbH, Hilpertstraße 20, 64295 Darmstadt, Germany  
E-mail [info@dvg.services](mailto:info@dvg.services), [www.digitalvision-group.com](http://www.digitalvision-group.com)

## End User License Agreement

All rights to this software, its documentation and logotypes of the TRIP product family and software (altogether "Software") supplied by DVG Operations GmbH (DVG) are exclusively owned by DVG.

The transfer of this Software, solutions or parts thereof requires the prior written agreement of DVG. Furthermore, the customer has the right to use licensed Software and / or process solutions supplied by DVG to the extent specified in his contract with DVG.

The free-to-use non-commercial version doesn't require a prior written agreement with DVG but such customers, organizations and/or third parties agree by using the software and / or solution of DVG to be strongly obliged to keep all rights to this software, documentation and logotypes of the TRIP product family absolutely un infringed and protected.

## Table of Contents

About This Document.....	6
Known issues.....	6
[TRIP-6281] Port conflict with WSL blocks the Apache Tika adapter.....	6
[TRIP-5452] Connector services not retained after upgrade.....	6
Version 1.7-2.....	6
News in v1.7-2.....	6
[TRIP-6234] Apache Tika upgraded to version 3.3.0.....	6
[TRIP-6235] Support for version 10 of RHEL, AlmaLinux and OracleLinux.....	6
Corrected in v1.7-2.....	7
[TRIP-6271] cfwimport may not recognize existing datasource.....	7
[TRIP-6260] Crash in cfwimport when run w/o datasource.....	7
[TRIP-6230] Invalid StartPath may cause connector crash.....	7
[TRIP-6229] Directory moves not detected on Windows.....	7
Version 1.7-1.....	7
Corrected in v1.7-1.....	7
[TRIP-6209] TRIPcof text extraction may fail.....	7
[TRIP-6205] TRIPcof file ownership not correct in Docker.....	7
[TRIP-6203] TRIPcof on Linux not detecting new subdirectories.....	7
[TRIP-5453] Moved directories not always detected.....	8
Version 1.7-0.....	8
News in v1.7-0.....	8
[TRIP-6167] Apache Tika upgraded to version 3.2.2.....	8
[TRIP-6164] ICEpdf adapter retired.....	8
Version 1.6-2.....	8
News in v1.6-2.....	8
[TRIP-6122] Apache Tika upgraded to version 3.2.0.....	8
[TRIP-6121] Oracle Linux and AlmaLinux.....	8
Version 1.6-1.....	8
News in v1.6-1.....	8
[TRIP-5992] Compatibility with TRIPsystem 8.4.....	8
Corrected in v1.6-1.....	8
[TRIP-6043] False positive AV detection of mkdscfg on Windows.....	8
Version 1.6-0.....	9
News in v1.6-0.....	9
[TRIP-5886] Required Linux is now RHEL9.....	9
[TRIP-5866] Java 17 compatibility.....	9
[TRIP-5853] Apache Tika dependency upgraded to 2.9.1.....	9
Version 1.5-1.....	9
News in v1.5-1.....	9
[TRIP-5771] Apache Tika dependency upgraded to 2.7.0.....	9

Corrected in v1.5-1.....	9
[TRIP-5661] PDF-to-HTML conversion leaves temporary files.....	9
Version 1.5-0.....	10
News in v1.5-0.....	10
[TRIP-5675] ICEpdf dependency upgraded to 6.2.5.....	10
[TRIP-5618] Apache Tika dependency upgraded to 2.4.0.....	10
[TRIP-5599] Java 11 compatibility.....	10
Corrected in v1.5-0.....	10
[TRIP-5702] RHEL fapolicyd blocks TRIP binaries.....	10
[TRIP-5699] Old text remains if file contents has been cleared.....	10
[TRIP-5684] Text extraction incorrect from longer documents.....	10
[TRIP-5557] File system connector may crash on Linux.....	10
Version 1.4-1.....	11
News in v1.4-1.....	11
[TRIP-5528] Memory overhead improvements for Apache Tika.....	11
Corrected in v1.4-1.....	11
[TRIP-5571] Invalid file permissions on Linux/UNIX.....	11
[TRIP-5537] TRIPcof ASE may not find location of worker programs.....	11
[TRIP-5519] Connectors fail to load in Docker.....	11
[TRIP-5514] File system connector file type check on UNIX.....	11
[TRIP-5512] Text extraction fallback attempt always fails.....	11
[TRIP-5509] Text extraction error message not propagated.....	12
[TRIP-5508] Text extractor out of memory error not handled.....	12
[TRIP-5494] Config not properly initialized under Docker.....	12
[TRIP-5493] Default config may cause text extraction failure.....	12
[TRIP-5483] Apache Tika based text extractor may fail to start.....	12
[TRIP-5482] Risk for crash when storing item from connector.....	12
[TRIP-5481] Error reading file permissions on Linux and Solaris.....	12
[TRIP-5474] Modified check in cfwimport not working on Linux, Solaris.....	13
[TRIP-5472] Extraction from empty file caused hanging.....	13
[TRIP-5464] Bad encoding of file names imported via the fsbot connector.....	13
[TRIP-5463] Incorrect detection of multiple changes to single file.....	13
[TRIP-5462] Many simulataneous changes hung the fsbot connector.....	13
[TRIP-5461] Some file patterns not matched by the fsbot connector.....	14
[TRIP-5459] Adapter for Apache Tika not starting on Solaris.....	14
[TRIP-5457] JavaVM not configured for connectors.....	14
Version 1.4-0.....	14
News in v1.4-0.....	14
[TRIP-5437] API package/namespace names changed.....	14
[TRIP-5428] Relocatable configuration and log directories.....	14
[TRIP-5423] Update third-party components.....	14
Corrected in v1.4-0.....	15
[TRIP-5440] Text extraction fails for small OOXML documents.....	15
[TRIP-5439] Risk for indefinite hanging in TRIPcof ASE.....	15
[TRIP-5438] Config initialization may fail.....	15
Version 1.3-0.....	15

Corrected in v1.3-0.....	15
[TRIP-5344] Zero index interval causes crash in active mode.....	15
Version 1.2-1.....	15
News in v1.2-1.....	15
Background database indexing.....	15
Corrected in v1.2-1.....	15
Directory deletion not detected in active mode.....	15
Version 1.2-0.....	16
News in v1.2-0.....	16
Server-side import connector framework.....	16
Corrected in v1.2-0.....	16
Invalid national characters in document properties.....	16
Invalid national characters in extracted text.....	16
Cfwimport Option -logtofile not working.....	16
Tika server startup race.....	16
Property names from IFilter.....	16

## About This Document

This document contains the change history for TRIPcof.

### *Known issues*

#### **[TRIP-6281] Port conflict with WSL blocks the Apache Tika adapter**

The TRIPcof custom Java based service for Apache Tika listens on port 9998 by default. This port is also used by Windows Subsystem for Linux (WSL) in its internal relay mechanism. This means that when WSL is running, the Apache Tika adapter will not respond due to the conflict in port number use.

The workaround for this is to edit the tikaserver.conf file and set the TikaServerPort property to a different value, then restart Windows (or run "tikamond -kill" from a console prompt).

#### **[TRIP-5452] Connector services not retained after upgrade**

Connector Windows services services hosted by the cfwimport program that have been created by the admin are not retained after upgrading TRIPcof.

The current workaround is to recreate the services manually after upgrade.

## Version 1.7-2

### *News in v1.7-2*

#### **[TRIP-6234] Apache Tika upgraded to version 3.3.0**

The version of Apache Tika used by TRIPcof as its main text extraction provider has been upgraded to version 3.3.0 on Windows and Linux.

Changed in v1.7-2:3

#### **[TRIP-6235] Support for version 10 of RHEL, AlmaLinux and OracleLinux**

Version 10 of the Linux distributions Redhat Enterprise Linux (RHEL), AlmaLinux and OracleLinux have been added to the list of operating systems that TRIPcof can be installed on.

Note that the build of TRIPcof to install must match exactly the Linux distribution version number on which installation is being made. For example, using a build for RHEL 9 is not supported nor guaranteed to work with RHEL 10, and vice versa.

This feature requires TRIPsystem 8.4-4 or later. Refer to the TRIPsystem release notes for detailed version requirements and recommendations.

*Corrected in v1.7-2*

**[TRIP-6271] cfwimport may not recognize existing datasource**

Running cfwimport for an existing datasource could sometimes result in an error indicating that there was no such datasource. This despite the datasource being listed by cfwimport run with the "-list" option.

Corrected in v1.7-2:2

**[TRIP-6260] Crash in cfwimport when run w/o datasource**

Running cfwimport without specifying a datasource argument would cause a crash for all operation modes except for list.

Corrected in v1.7-2:1 and v1.7-2:2

**[TRIP-6230] Invalid StartPath may cause connector crash**

Running cfwimport for a file system connector would cause a crash if the StartPath property in the data source configuration was set to a non-existing path.

**[TRIP-6229] Directory moves not detected on Windows**

Directories moved into the monitored tree were not detected by the TRIPcof 'fsbot' file system connector when running in active mode on Windows. Copying directories into the monitored tree worked, however.

Corrected in v1.7-2:1

## **Version 1.7-1**

*Corrected in v1.7-1*

**[TRIP-6209] TRIPcof text extraction may fail**

Microsoft Office documents that contain external file references (e.g. to templates or images) may cause the Apache Tika based text extractor to fail with a ZipException and a message like "Cannot find zip signature within the first 4096 bytes".

External references and images are now skipped during text and document property extraction when Apache Tika is used by TRIPcof.

**[TRIP-6205] TRIPcof file ownership not correct in Docker**

Running TRIPcof in Docker resulted in the files and directories of the TRIPcof installation not getting correct ownership. The owner should, like those for TRIPsystem, be the default user of the container ("trip", with id 1001).

**[TRIP-6203] TRIPcof on Linux not detecting new subdirectories**

New directories were not correctly processed by the TRIPcof 'fsbot' file system connector when running in active mode on Linux. All file change events in directories created after the start of the cfwimport program were not detected, causing the contents of such files not being searchable in TRIP.

### **[TRIP-5453] Moved directories not always detected**

The 'fsbot' file system connector did not correctly process moved subdirectories in active mode. This could involve a move within the monitored tree, a move to a non-monitored area, or the move of a non-monitored directory into a monitored one.

## **Version 1.7-0**

### *News in v1.7-0*

#### **[TRIP-6167] Apache Tika upgraded to version 3.2.2**

The version of Apache Tika used by TRIPcof as its main text extraction provider has been upgraded to version 3.2.2 on Windows and Linux.

#### **[TRIP-6164] ICEpdf adapter retired**

The ICEpdf adapter that provided support for conversion of PDF documents to HTML has been retired without replacement.

## **Version 1.6-2**

### *News in v1.6-2*

#### **[TRIP-6122] Apache Tika upgraded to version 3.2.0**

The version of Apache Tika used by TRIPcof as its main text extraction provider has been upgraded to version 3.2.0 on Windows and Linux.

#### **[TRIP-6121] Oracle Linux and AlmaLinux**

TRIPcof can now be installed on the Linux distributions Oracle Linux and AlmaLinux, which are binary compatible with RedHat Enterprise Linux (RHEL). This feature requires TRIPsystem 8.4-1 or later. Refer to the TRIPsystem release notes for detailed version requirements and recommendations.

## **Version 1.6-1**

### *News in v1.6-1*

#### **[TRIP-5992] Compatibility with TRIPsystem 8.4**

TRIPcof has been adjusted to be compatible with the 8.4 release series of TRIPsystem.

### *Corrected in v1.6-1*

#### **[TRIP-6043] False positive AV detection of mkdscfg on Windows**

There was a risk that the mkdscfg command line tool could trigger a false positive detection by the heuristic scanners of AV software such as F-Secure.



## Version 1.6-0

### *News in v1.6-0*

#### **[TRIP-5886] Required Linux is now RHEL9**

All TRIP platform components for Linux now require version 9 of RedHat Enterprise Linux. This also applies to the Docker image, which is now based on the RHEL 9 universal base image.

#### **[TRIP-5866] Java 17 compatibility**

The Java based components of TRIPcof now works with Java 17. This Java version is required for use with TRIPcof. Use of an older Java version may result in reduced functionality.

#### **[TRIP-5853] Apache Tika dependency upgraded to 2.9.1**

The version of Apache Tika used by TRIPcof as its main text extraction provider has been upgraded to version 2.9.1.

## Version 1.5-1

### *News in v1.5-1*

#### **[TRIP-5771] Apache Tika dependency upgraded to 2.7.0**

The version of Apache Tika used by TRIPcof as its main text extraction provider has been upgraded to version 2.7.0.

### *Corrected in v1.5-1*

#### **[TRIP-5661] PDF-to-HTML conversion leaves temporary files**

The ICEpdf file filter adapter which handles conversion of PDF documents to HTML would emit intermediary data to files under the system standard tmp directory. Those files were in addition not removed after completed conversion. This resulted in an excess of potentially large files in the system's tmp directory. This posed a small security risk as well as risking filling up the file system after prolonged use.

The temporary files are now removed after conversion is completed. A new property "EnableFileCache" for the ICEPdf adapter can now also be set in the icepdf.conf file. This property, if set to "False", will disable this caching altogether. This increases system resource use somewhat but reduces the risk of sensitive data being emitted to the file system, albeit for a short duration.

## Version 1.5-0

### *News in v1.5-0*

#### **[TRIP-5675] ICEpdf dependency upgraded to 6.2.5**

The version of the ICEpdf library used for conversion of PDF files to HTML has been upgraded to version 6.2.5 along with its dependencies on BouncyCastle (to version 1.71) and Apache Batik (to version 1.14).

#### **[TRIP-5618] Apache Tika dependency upgraded to 2.4.0**

The version of Apache Tika used by TRIPcof as its main text extraction provider has been upgraded to version 2.4.0.

#### **[TRIP-5599] Java 11 compatibility**

TRIPcof can now be used with Java 11. The older Java version 8 remains supported.

### *Corrected in v1.5-0*

#### **[TRIP-5702] RHEL fapolicyd blocks TRIP binaries**

A Linux system where the fapolicyd service is in use will normally behave so that any shared object libraries not located in whitelisted directories will not be loaded by the operating system's dynamic loader. In addition, fapolicyd will normally also block access to binaries explicitly not whitelisted. This resulted in "operation not permitted" or "file not found" errors when trying to use TRIPcof.

The installer script will now update the fapolicyd database by whitelisting the TRIPcof lib and bin directories. Similarly, the uninstallation script will remove the TRIPsystem lib and bin directories from the whitelist. The fapolicyd adjustment is managed by the new bin/chfapolicy\_cof.sh script.

Corrected in version 1.5-0:1

#### **[TRIP-5699] Old text remains if file contents has been cleared**

Previously extracted text from connectors (e.g. the fsbot file system connector) would remain in TRIP even after an update to the item that specified that no text existed in the new version of the item.

#### **[TRIP-5684] Text extraction incorrect from longer documents**

Text extraction from longer documents could become slightly corrupted, causing some paragraphs to become garbled with text fragments from previous sections in the document.

#### **[TRIP-5557] File system connector may crash on Linux**

When using the file system connector on Linux to perform active monitoring of changes in the file system, there was a high risk that the detection of a change would not have any effect or cause the connector process to crash.

## Version 1.4-1

### *News in v1.4-1*

#### **[TRIP-5528] Memory overhead improvements for Apache Tika**

The integration to Apache Tika has been overhauled to utilize less memory when large documents are processed. While the default Java max heap size has been increased to 1G to allow for greater operational headroom, the processing is now stream instead of buffer based, which results in lower overall memory usage and somewhat improved response times.

Corrected in version 1.4-1:1

### *Corrected in v1.4-1*

#### **[TRIP-5571] Invalid file permissions on Linux/UNIX**

The TRIPcof installation script would not apply correct file and directory permissions for some of the created files and directories if the root user's umask was set to deny other users access (e.g. value 0027). If the TRIPcof software would then be run as a non-root user (e.g. via tripnetd/tbserver), operations would fail with error messages such as "Could not resolve TRIPcof installation directory".

Corrected in version 1.4-1:2

#### **[TRIP-5537] TRIPcof ASE may not find location of worker programs**

TRIPcof ASE may not find location of worker programs. This can manifest in one of two ways:

- A crash, with an "Unexpected state" exception when text extraction or HTML conversion is requested from TRIPjxp or TRIPnxp.
- An error message "TRIPcof worker process exited prematurely with code #1". Examining the fifiase log file in this circumstance shows an incomplete path to tvextract (e.g. Extractor is to be executed; "/bin/tvextract" )

#### **[TRIP-5519] Connectors fail to load in Docker**

When running TRIPcof under Docker, connectors (e.g. the fsbot file system connector) would always fail to load.

Corrected in version 1.4-0:6

#### **[TRIP-5514] File system connector file type check on UNIX**

The Excludes and Includes settings in the fsbot.conf file for the file system connector were not honored when running the file system connector under Linux and Solaris. All files in the designated folder would be processed.

Corrected in version 1.4-0:6

#### **[TRIP-5512] Text extraction fallback attempt always fails**

If multiple adapters are available that can extract text from a particular file format and the first adapter fails, all subsequent adapters would also fail.

Corrected in version 1.4-0:5

#### **[TRIP-5509] Text extraction error message not propagated**

If the text extraction failed, the error message was not propagated from the tvextract program via the ASE to the caller (e.g. TRIPnxp or TRIPjxp). Only an anonymous "text extraction process failed" error message was sent back.

Corrected in version 1.4-0:5

#### **[TRIP-5508] Text extractor out of memory error not handled**

If the Apache Tika text extractor ran out of memory, the associated Java OutOfMemoryError exception was not properly handled. This caused the text extraction to fail without sending any response message, resulting in an extraction failure due to timeout.

Corrected in version 1.4-0:5

#### **[TRIP-5494] Config not properly initialized under Docker**

The TRIPsystem tdb.conf configuration file was not properly updated with regard to TRIPcof during Docker container startup. Unless configuration was manually updated, this would result in that the TRIPcof file filter functionality could not be invoked.

Corrected in version 1.4-0:4

#### **[TRIP-5493] Default config may cause text extraction failure**

If the TRIPcof configuration files were not located under the installation directory, the TRIPcof ASE routine would in some circumstances cause the ASE to fail to launch the text extractor child process.

Corrected in version 1.4-0:4

#### **[TRIP-5483] Apache Tika based text extractor may fail to start**

The tikamond background process that is used to start and monitor the execution of the Apache Tika based text extraction service would fail to start if the (server-side) process was launched as user without write access to the TRIPcof installation directory.

Corrected in version 1.4-0:3

#### **[TRIP-5482] Risk for crash when storing item from connector**

There was a risk for a crash in the TRIPcof registry library (libcfwreg.so on Linux and Solaris and cfwreg.dll on Windows) when storing to TRIP data obtained via a TRIPcof import connector.

Corrected in version 1.4-0:3

#### **[TRIP-5481] Error reading file permissions on Linux and Solaris**

The file system connector failed to read file permission information on Linux and Solaris. An error message "Error reading file permissions" was emitted, along with an arbitrary status message (e.g. "no such file or directory", "success", etc).

This would result in that no ACL information about processed files would be added to the TRIP record for the file.

Corrected in version 1.4-0:3

#### **[TRIP-5474] Modified check in cfwimport not working on Linux, Solaris**

Running the cfwimport program with option "-modified" to detect modified files would not work on Linux and Solaris. This was due to the file time stamp not being properly handled by TRIPcof.

Corrected in version 1.4-0:2

#### **[TRIP-5472] Extraction from empty file caused hanging**

Using the default tikaserver adapter to extract text from a file with zero length would cause it to hang indefinitely with the associated Java process consuming a significant amount of CPU.

Corrected in version 1.4-0:2

#### **[TRIP-5464] Bad encoding of file names imported via the fsbot connector**

National characters (e.g. umlauts) were not properly converted to the TRIP session character set by the file system connector, resulting in any umlaut characters the I\_ID field value in the target connector database to be represented as a question mark or not appear at all.

Running the corrected version of the fsbot connector may temporarily result in duplicate entries for files whose names have national characters in them that previously have been imported into TRIP. Resolve this matter by running the cfwimport program on the relevant fsbot data source in delete mode (using the "-delete" option).

Corrected in version 1.4-0:2

#### **[TRIP-5463] Incorrect detection of multiple changes to single file**

The file system connector running in active monitoring mode under Windows (as service) would sometimes get multiple file change notifications for a single file, even though the user only performs a single change. E.g., when copying a file into a monitored directory. This would result in the same file being processed multiple times unnecessarily, effectively slowing things down.

Corrected in version 1.4-0:1

#### **[TRIP-5462] Many simultaneous changes hung the fsbot connector**

When running the file system connector (fsbot) in active monitoring mode (as service) under Windows, there was a risk for it to hang with high CPU load.

Corrected in version 1.4-0:1

### **[TRIP-5461] Some file patterns not matched by the fsbot connector**

Certain patterns for files to include or exclude as specified in the configuration files for data sources for the fsbot connector could not be successfully handled, even if the pattern was supposed to match a file. For such pattern matching errors, the fsbot connector would (for include patterns) ignore the file, or (for exclude patterns) process the file anyway.

Corrected in version 1.4-0:1

### **[TRIP-5459] Adapter for Apache Tika not starting on Solaris**

The file filter adapter for Apache Tika would not start properly on Solaris. The log file would contain an entry stating that the tikamond program could not be accessed, specifying an incorrect path to it. If started manually, the tikamond program would work and text extraction could be done, but when requested to shut itself down (by running "tikamond -k"), it could not do so, claiming it was not running.

Corrected in version 1.4-0:1

### **[TRIP-5457] JavaVM not configured for connectors**

The cfw.conf configuration file contains a property JavaVM that should refer to the fully qualified path to the Java virtual machine to use with Java based connectors. This property was not properly set during install, resulting in longer load times for Java based connectors.

Corrected in version 1.4-0:1

## **Version 1.4-0**

### *News in v1.4-0*

#### **[TRIP-5437] API package/namespace names changed**

The package names in the TRIPcof Java APIs for file filters and connectors have been altered. The prefix "de.infinitervices" has been changed to "ag.smaser".

The namespace names in the TRIPcof .NET APIs for file filters and connectors have been altered. The prefix "InfinitServices" has been changed to "Smaser".

#### **[TRIP-5428] Relocatable configuration and log directories**

To better support deployment under Docker, the configuration and log files can now be placed on a different location. Refer to the installation guide and the operating manual for more details.

#### **[TRIP-5423] Update third-party components**

The following third party components have been updated:

- libcurl: updated to version 7.75.0
- Apache Tika: updated to version 1.26

*Corrected in v1.4-0*

#### **[TRIP-5440] Text extraction fails for small OOXML documents**

Extracting text from OOXML documents (docx, pptx, xlsx) could fail with a "truncated zip" error message. This affected documents smaller than 20MB.

#### **[TRIP-5439] Risk for indefinite hanging in TRIPcof ASE**

When the TRIPcof ASE launches a worker process (for text extraction or HTML conversion) it waits for the worker to establish a connection back to the ASE for inter-process communication purposes. If the worker fails and exits before it has a chance to connect to the ASE, the ASE would hang indefinitely.

#### **[TRIP-5438] Config initialization may fail**

TRIPcof allows for the configuration file directory to be overridden by defining the COF\_CONFIG\_DIR logical name in the tdb.conf file. If this value is incorrectly specified, no configuration would be loaded, resulting in various negative side effects including hangings.

## **Version 1.3-0**

*Corrected in v1.3-0*

#### **[TRIP-5344] Zero index interval causes crash in active mode**

The cfwimport program would crash when running in active mode if the IndexInterval property (in cfw.conf) was set to zero.

## **Version 1.2-1**

*News in v1.2-1*

#### **Background database indexing**

For import connectors run under cfwimport in active monitoring mode, the imported data will now be indexed at an interval determined by the IndexInterval property that can be set in the cfw.conf configuration file.

*Corrected in v1.2-1*

#### **Directory deletion not detected in active mode**

The deletion of a subdirectory in a directory covered by the 'fsbot' file system connector running in active monitoring mode was not detected. This could cause previously indexed files to remain searchable even though they no longer were present on the file system.

## Version 1.2-0

### *News in v1.2-0*

#### **Server-side import connector framework**

A connector framework that supports server-side import connectors is now available. A ready-to-use connector "fsbot" for file system indexing is included. Custom connectors can be implemented using the included API for Microsoft.NET 4.

### *Corrected in v1.2-0*

#### **Invalid national characters in document properties**

Values of extracted document properties that contained national characters would in some cases be incorrectly encoded, resulting in such words having unreadable characters when stored in TRIP.

#### **Invalid national characters in extracted text**

Extracted text from documents containing national characters would in some cases be incorrectly encoded, resulting in such words having unreadable characters when stored in TRIP.

#### **Cfwimport Option -logtofile not working**

The -logtofile option for the cfwimport program would result in an empty log file and no output to the console. The import operation still performed normally, though.

#### **Tika server startup race**

There was a race when starting the Tika server for text extraction, such that the first text extraction request could be sent before the Tika server was properly up and running. This would result in text extraction attempts failing until the Tika server startup had completed.

#### **Property names from IFilter**

The document property names returned from the IFilter adapter during text extraction did not return properly canonicalized names. This could result in properties not being properly named, or given the wrong names.